



SUNIK
INTERNATIONAL PVT. LTD.

 www.suniktires.com

TBR



LONGMARCH



Company Profile

SUNIK TIRES is part of Sunik International Private limited having experience of 30 years in the field of international trade and is expert in business of all types of tires and tubes. The company has revenue of USD 50 Million having its business in China, Latin America, Africa and India. The tire and tube division of Sunik International, with its Indian origin & centers of quality assurance in China also has overseas presence in Hong Kong, India, Peru and Ecuador. Sunik Tires caters to all segments Tires and Tubes and has capabilities to meet complete requirement.

OUR TEAM is constantly working to make improvements, enhancing durability and overall performance of all our products. With a relentless commitment to be the best, all our products exceed regulations and standards to ensure you to move forward safely.

SUNIK TIRES is paving the road to a better tire. Sunik Tires are overbuilt to guarantee solid performance and consistently ensure you get the most out of your investment. They are strategically designed down to the smallest detail to meet today's most rugged challenges, whether that's at the top of the summit or a road trip in a snowstorm. To keep up with your changing needs, Sunik Tires engineers are constantly working to make improvements, enhancing durability and overall performance. With a relentless commitment to be the best, all Sunik Tires exceed regulations and standards to ensure you can move forward safely.

Sunik believes and is well known for innovation, quality performance and excellent customer service.





WE DELIVER BEST

www.suniktires.com

LONGMARCH



LM 105

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
------	------------	---------	------------	------------	--------------	-------------------	-----------

750R16LT	14	LM105	122/118	K	6.00G	14.00	580
----------	----	-------	---------	---	-------	-------	-----



LM 115

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
------	------------	---------	------------	------------	--------------	-------------------	-----------

8R22.5	12	LM115	128/126	M	6.00	13.00	480
9R22.5	14	LM115	136/134	M	6.75	14.50	450
11R22.5	16	LM115	148/145	M	8.25	15.00	276
12R22.5	18	LM115	152/149	L	9.00	16.50	240
13R22.5	18	LM115	154/151	L	9.75	16.00	224
295/80R22.5	18	LM115	152/148	L	9.00	16.00	250
315/80R22.5	20	LM115	156/150	L	9.00	16.50	240
1200R20	18	LM115	154/151	L	8.50	15.00	227
1100R20	18	LM115	152/149	L	8.00	15.00	244
1100R20	18	LM115	149/146	L	7.50	15.00	272



LM 110

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
------	------------	---------	------------	------------	--------------	-------------------	-----------

11R22.5	16	LM110	148/145	M	8.25	15.00	276
11R24.5	16	LM110	149/146	M	8.25	15.00	258
295/80R22.5	18	LM110	152/148	M	9.00	15.50	250
1100R20	18	LM110	152/149	L	8.00	15.50	244
1000R20	16	LM110	146/143	L	7.50	15.00	272
900R20	16	LM110	144/142	L	7.00	14.50	315



LM 116

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
------	------------	---------	------------	------------	--------------	-------------------	-----------

11R22.5	16	LM116	148/145	M	8.25	15.00	276
11R24.5	16	LM116	149/146	M	8.25	15.00	258
275/70R22.5	16	LM116	148/145	M	8.25	15.00	310
285/75R24.5	14	LM116	144/141	M	8.25	15.00	272
295/75R22.5	14	LM116	144/141	M	9.00	15.00	292



www.suniktires.com



LM 701

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
315/70R22.5	18	LM701	154/150	J	9.00	22.00	250



LM 117

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
12R22.5	18	LM117	152/148	L	9.00	16.00	240
13R22.5	18	LM117	154/151	M	9.75	15.00	224
295/60R22.5	18	LM117	149/146	K	9.00	14.50	280
315/60R22.5	18	LM117	152/148	K	9.75	14.50	260
315/70R22.5	18	LM117	154/150	M	9.00	15.00	250



LM 118

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
10R22.5	14	LM118	144/142	M	7.50	14.00	350



LM 120

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
11R22.5	14	LM120	148/145	M	8.25	10.00	276
11R24.5	14	LM120	149/146	M	8.25	10.50	258
255/70R22.5	16	LM120	140/137	M	7.50	10.50	364
285/75R24.5	14	LM120	144/141	M	8.25	10.50	272
295/75R22.5	14	LM120	144/141	M	9.00	10.50	292



LM 126

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
LT235/85R16	14	LM126	126/123	L	6.50J	10.00	540



WE DELIVER BEST

www.suniktires.com



LONGMARCH



LM 128

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
385/65R22.5	20	LM128	160	K	11.75	16.00	185
425/65R22.5	20	LM128	165	K	13.00	17.00	150



LM 166

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
8.25R16	16	LM166	128/124	L	6.50H	12.00	360
750R20	14	LM166	130/128	L	6.00	12.50	500
750R16	14TT	LM166	122/118	L	6.00G	12.50	580
700R16LT	14TL	LM166	118/114	L	5.50F	10.50	720
650R16LT	14TL	LM166	110/105	L	5.50F	10.00	--



LM 168

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
385/65R22.5	20	LM168	160	K	11.75	15.00	185
385/55R19.5	-	LM168	156	J	12.25	15.00	200
385/55R22.5	-	LM168	160	J	12.25	15.00	200
435/50R19.5	-	LM168	160	J	14.00	13.00	200
445/45R19.5	-	LM168	-	-	-	-	200



LM 201

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
13R22.5	18	LM201	154/151	L	9.75	18.00	224
315/80R22.5	20	LM201	156/150	L	9.00	16.50	240
1200R24	20	LM201	160/157	K	8.50	17.50	192
1200R20	18	LM201	154/151	L	8.50	17.00	227



LONGMARCH



www.suniktires.com



LM 203

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
1100R20	18	LM203	152/149	L	8.00	16.50	244
900R20	16	LM203	144/142	L	7.00	14.00	315



LM 210

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
11R22.5	16	LM210	148/145	M	8.25	15.50	276
11R24.5	16	LM210	149/146	M	8.25	15.50	258
295/80R22.5	18	LM210	152/148	M	9.00	16.00	250
1100R20	18	LM210	152/149	L	8.00	16.00	244
1000R20	16	LM210	146/143	L	7.50	15.50	272
1100R20	16	LM210	144/142	L	7.00	15.00	315



LM 211

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
11R22.5	16	LM211	148/145	M	8.25	15.50	276
11R24.5	16	LM211	149/146	M	8.25	15.50	258



LM 218

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
11R22.5	16	LM218	148/145	M	8.25	15.00	276
1000R20	18	LM218	149/146	L	7.50	15.50	272



LM 219

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
1200R20	18	LM219	154/151	L	8.50	15.00	227
1100R20	18	LM219	152/149	L	8.00	16.00	244



WE DELIVER BEST

www.suniktires.com

LONGMARCH



LM 216

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
8R19.5	12	LM216	124/122	M	6.00	13.00	650
11R22.5	16	LM216	148/145	M	8.25	15.00	276
11R24.5	16	LM216	149/146	M	8.25	15.00	258
12R22.5	18	LM216	152/148	L	9.00	16.50	240
13R22.5	18	LM216	154/151	M	9.75	16.00	224
215/75R17.5	16	LM216	135/133	M	6.00	13.00	640
225/70R19.5	12	LM216	125/123	M	6.75	13.00	520
235/75R17.5	16	LM216	143/141	J	6.75	13.00	530
245/70R19.5	16	LM216	135/133	M	7.50	13.00	480
255/70R22.5	16	LM216	140/137	L	7.50	14.00	364
265/70R19.5	16	LM216	143/141	M	7.50	13.00	420
285/70R19.5	16	LM216	146/144	L	8.25	13.00	340
275/70R22.5	16	LM216	148/145	M	8.25	15.00	310
275/80R22.5	16	LM216	149/146	M	8.25	15.00	292
285/75R24.5	14	LM216	144/141	M	8.25	15.00	272
295/75R22.5	14	LM216	144/141	M	9.00	15.00	292
295/60R22.5	18	LM216	149/146	K	9.00	14.50	280
295/80R22.5	18	LM216	152/148	M	9.00	16.00	250
315/80R22.5	20	LM216	156/150	M	9.00	16.50	240
1100R22	16	LM216	152/149	L	8.00	16.00	228



LM 228

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
8.25R20	14	LM228	136/134	L	6.50	15.00	360



LM 238

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
8.25R20	14	LM238	136/134	L	6.50	15.00	360



LM 256

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
1200R24	20	LM256	160/157	K	8.50	14.50	192
1100R20	18	LM256	152/149	L	8.00	16.00	244
1000R20	18	LM256	149/146	L	7.50	15.50	272



LONGMARCH



www.suniktires.com



LM 268

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
1200R20	18	LM268	154/151	L	8.50	15.00	227
1100R20	18	LM268	152/149	L	8.00	16.00	244
1000R20	18	LM268	149/146	L	7.50	15.50	272
900R20	16	LM268	144/142	L	7.00	14.50	315



LM 298

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
1200R20	18	LM298	154/151	L	8.50	15.00	227
1100R20	18	LM298	152/149	L	8.00	16.00	244



LM 301

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
13R22.5	18	LM301	154/151	J	9.75	21.50	224
1200R20	18	LM301	154/151	J	8.50	21.50	227



LM 238

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
8.25R20	14	LM238	136/134	L	6.50	15.00	360



LM 302

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
12R22.5	18	LM302	152/148	L	9.00	20.50	240
295/80R22.5	18	LM302	152/148	K	9.00	20.50	250
315/80R22.5	20	LM302	156/150	K	9.00	20.50	240



WE DELIVER BEST

www.suniktires.com

LONGMARCH



LM 303

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
1200R20	18	LM303	154/151	K	8.50	17.00	227
1100R20	18	LM303	152/149	K	8.00	17.00	244
1000R20	18	LM303	149/146	K	7.50	16.00	272
900R20	16	LM303	144/142	K	7.00	15.50	315



LM 305

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
11R22.5	16	LM305	148/145	J	8.25	25.00	272
1200R24	18	LM305	158/155	F	8.50	31.50	192



LM 306

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
11R24.5	16	LM306	149/146	J	8.25	25.00	258
12R22.5	18	LM306	152/149	J	9.00	25.00	240
1000R20	18	LM306	149/146	G	7.50	23.50	272
750R16	14TT	LM306	122/118	G	6.00G	16.00	580



LM 307

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
1200R20	18	LM307	154/151	K	8.50	21.00	227
1100R20	18	LM307	152/149	K	8.00	20.00	244



LM 309

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
1200R20	18	LM309	154/151	F	8.50	25.00	227
1100R20	18	LM309	152/149	F	8.00	25.00	244



www.suniktires.com



LM 318

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
8.25R16	16	LM318	128/124	K	6.50H	16.50	360
750R16	14TT	LM318	122/118	K	6.00G	15.00	580



LM 326

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
12R22.5	18	LM326	152/149	K	9.00	22.00	240
13R22.5	18	LM326	154/151	K	9.75	22.00	224
275/70R22.5	16	LM326	148/145	J	8.25	22.00	292
295/60R22.5	18	LM326	149/146	J	9.00	22.00	280
315/60R22.5	18	LM326	152/148	J	9.75	22.00	260
315/70R22.5	18	LM326	154/150	J	9.00	22.00	250
295/80R22.5	18	LM326	152/148	J	9.00	22.00	250
315/80R22.5	20	LM326	156/150	K	9.00	22.00	240
1100R22	16	LM326	152/149	K	8.00	22.00	228



LM 328

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
13R22.5	18	LM328	154/151	K	9.72	20.00	224
295/80R22.5	18	LM328	152/148	K	9.00	20.00	250
315/80R22.5	20	LM328	156/150	K	9.00	20.00	240



LM 508

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
215/75R17.5	16	LM508	135/133	J	6.00	15.00	640
225/70R19.5	12	LM508	125/123	J	6.75	15.00	520
235/75R17.5	16	LM508	143/141	J	6.75	15.00	530
245/70R19.5	16	LM508	135/133	J	7.50	15.00	480
265/70R19.5	16	LM508	143/141	J	7.50	15.00	420
285/70R19.5	16	LM508	146/144	J	8.25	15.00	340



SUNIK

WE DELIVER BEST

www.suniktires.com



LONGMARCH



LM 509

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
225/70R19.5	12	LM509	125/123	J	6.75	15.00	520
245/70R19.5	16	LM509	135/133	J	7.50	16.00	480



LM 511

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
295/80R22.5	18	LM511	152/148	K	9.00	22.00	250
315/80R22.5	20	LM511	156/150	K	9.00	22.00	240
1200R20	18	LM511	154/151	K	8.50	20.00	227
1100R20	18	LM511	152/149	K	8.00	20.00	244
1000R20	18	LM511	149/146	K	7.50	18.00	272
700R16LT	14TL	LM511	118/114	J	5.50F	13.50	720



LM 516

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
11R22.5	16	LM516	148/145	L	8.25	24.00	272
11R24.5	16	LM516	149/146	L	8.25	24.00	258
285/75R24.5	14	LM516	144/141	L	8.25	20.50	272
295/75R22.5	14	LM516	144/141	L	9.00	20.50	292



LM 518

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
11R22.5	16	LM518	148/145	L	8.25	19.00	272
11R24.5	16	LM518	149/146	L	8.25	19.00	258
285/75R24.5	14	LM518	144/141	L	8.25	20.50	272
295/75R22.5	14	LM518	144/141	L	9.00	20.50	292
1000R20	18	LM518	149/146	K	7.50	18.50	272



www.suniktires.com



LM 519

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
12R22.5	18	LM519	152/148	L	9.00	18.30	240
13R22.5	18	LM519	154/151	L	9.75	18.00	224
295/80R22.5	18	LM519	152/148	L	9.00	16.00	250
315/80R22.5	20	LM519	156/150	L	9.00	18.00	240
8.25R16	16	LM519	136/134	L	6.50H	14.00	360
750R20	14	LM519	130/128	L	6.00	14.00	500
750R16	14TT	LM519	122/118	L	6.00G	14.00	580
700R16LT	14TL	LM519	118/114	K	5.50F	12.50	720
650R16LT	12TL	LM519	110/105	K	5.50F	11.00	-



LM 526

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
385/65R22.5	20	LM526	160	K	11.75	17.50	185
425/65R22.5	20	LM526	165	J	13.00	17.50	150



LM 528

SIZE	PLY RATING	PATTERN	LOAD INDEX	SPEED RATE	RIM DIAMETER	PATTERN DEPTH(MM)	QTY /40'H
11R22.5	16	LM528	148/145	J	8.25	25.00	272
11R24.5	16	LM528	149/146	J	8.25	25.00	258



SUNIK

INTERNATIONAL PVT. LTD.

Email:- sales@sunikmotors.com

Web.:- www.sunikmotors.com, www.suniktires.com, www.sunikexports.com



HONG KONG OFFICE

22/F, CHEONG SUN TOWER,
116-118 WINT LOK STREET,
SHEUNG WAN, HONG KONG
TEL.:(852)25430297

INDIA OFFICE

DSM 338, DLF TOWER,
SHIVAI MARG, NEW DELHI,
INDIA-110015
TEL.: +91-9711398498

CHINA OFFICE

ROOM 322,
TIME HERO BLDG NO.1,
ZHONGSHAN WEST ROAD,
HUITOU STREET,
HAISHU DISTRIC, NINGBO, CHINA
TEL.:(86)574-87165444

ECUADOR OFFICE

LUQUE Y PEDRO
CARBO(ESQUINA),
EDIFICIO JOSE MARIA SAENAZ,
4TO PISO, OFICINA#401,
GUYAQUIL-ECUADOR
TEL.:(593-4)2327382